



DASH NO.	APPLICATION		REVISIONS			
	NEXT ASSY	USED ON	LTR	DESCRIPTION	DATE	APPROVED
			B	REVISED PER ECN 21982	01/06/12	J. Campisi

**NOTES:**

- 1. MATERIAL: ALUMINUM ALLOY 6061-T6.**
- 2. FINISH: TRIVALENT CHROMATE CONVERSION**  
IAW MIL-DTL-5541, TYPE II, CLASS 3.
- 3. MECHANICAL RELIEF FOR EYELET PROJECTION IS NECESSARY.**  
(EYELET PROJECTION = 0.03" MAX, DIAMETER = 0.22" MAX)
- 4. COUPLER IS RATED AT 100% OF POWER TO 85°C**  
BASE PLATE

ALL PAGES ARE OF ORIGINAL ISSUE (A) EXCEPT AS NOTED.	CONTR NO. 38POD77		 100 Davids Drive, Hauppauge, New York 11788	
	PREP BY <i>B. Davidsson</i>	DATE 12/21/11		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON DECIMALS .XX±.02 .XXX±.005 ANGLES ±0°30'	CHKD BY <i>J. Campisi</i>	01/09/12	OUTLINE DRAWING CASELESS 90 DEG. HYBRID COUPLER M-961-1221-92W102	
	PROJ ENGR <i>W. Davidsson</i>	01/09/12		
	APPROVAL (PROJ)		SIZE A	CODE IDENT. NO. 33592
	APPROVAL (GOVT)		SCALE	REV. B
			SHEET 1 OF 1	