


REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	03/18/15	Campisi



NOTES

1. METRIC EQUIVALENTS ARE SHOWN IN PARENTHESIS
2. STANDARD UNIT AS SHOWN, COVER (FLAT) FLANGE OPTIONAL
3. TYPE N FIELD REPLACEABLE CONNECTOR AVAILABLE AS AN OPTION
4. CONTACT FACTORY FOR VARIOUS PIN OUT CONFIGURATIONS.
5. AS AN OPTION, A FLAT COVER PLATE CAN BE USED TO REPLACE THE MULTI-PIN CONN WHEN A PART NUMBER IS AVAILABLE

OUTLINE NUMBER	DIM "A"	OPTION P/N SUFFIX	AMPLIFIER DESCRIPTION
213461-1	1.69 [42.69]	-NONE	STANDARD LNA
213461-1	1.69 [42.69]	-F	LNA WITH OPTIONAL FAULT ALARM
213461-2	2.40 [60.96]	-D	LNA WITH OPTIONAL 100 - 240 VAC POWER SUPPLY
213461-2	2.40 [60.96]	-D, -F	LNA WITH OPTIONAL FAULT ALARM AND 100 - 240 VAC POWER SUPPLY

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN J. Campisi 03/18/15	
TOLERANCES ON DECIMALS ANGLES		DATE 03/20/15	
.XX±.01 .XXX±.005 ±0°30'		DRAFT DESIGN J. Campisi	
PROJECTION		APPROVED BY	
MATERIAL		PROJ ENGR John Sepúlveda 03/19/15	
FINISH		MFG ENGR	
NEXT ASSY		G.A.	
USED ON			
APPLICATION			

100 Davids Drive, Hauppauge, New York 11788

**OUTLINE X BAND WR90 INTEGRATED AMPLIFIER**

SIZE	CODE	IDENT. NO.	REV.
C	33592	213461	A

SCALE REF SHEET 1 OF 1